## Author Index

Adams, J.H., see Fang, X., 125

Aikawa, M., see Kilejian, A., 175 Aitken, A., see Shepherd, J.C., 81

Aji, T., see Kilejian, A., 175 Aman, R.A., see Dom, P.L., 133

Arcos, L., see Laclette, J.P., 287

Awobuluyi, M., Maina, C.V. and Carlow, C.K.S.,

Cross-linking of a monoclonal antibody-antigen complex enables detection of parasite antigen in immunoblots and in an expression library (Short Communication), 151

Bass, K.E. and Wang, C.C.,

The in vitro differentiation of pleomorphic *Trypanosoma* brucei from bloodstream into procyclic form requires neither intermediary nor short-stumpy stage, 261

Beach, D.H., Holz, Jr., G.G., Singh, B.N. and Lindmark, D.G.,

Phospholipid metabolism of cultured Trichomonas vaginalis and Tritrichomonas foetus, 97

Blackmer, K., see James, A.A., 245

Bøgh, H.O., see Ito, A., 43

Boothroyd, J.C., see Dorn, P.L., 133

Bracha, R., see De Meester, F., 23

Buck, G.A., see Lu, H.-Y., 109 Button, L.L., Reiner, N.E. and McMaster, W.R.,

Modification of GP63 genes from diverse species of Leishmania for expression of recombinant protein at high levels in Escherichia coli, 213

Carlow, C.K.S., see Awobuluyi, M., 151

Cazzulo, J.J., see Hellman, U., 15 Chang, K.-P., see Katakura, K., 233

Chen, G.-X., Zhu, J., Plitt, J.R., Weiler, A.K. and Zolg, I.W.

A Plasmodium falciparum-specific reverse target capture assay, 165

Coecke, S., see Galtier, P., 255

Coquelet, H., Steinert, M. and Pays, E.,

Ultraviolet irradiation inhibits RNA decay and modifies ribosomal RNA processing in *Trypanosoma brucei*, 33

Davis, A.E., see Laclette, J.P., 287

De Meester, F., Bracha, R., Huber, M., Keren, Z., Rozenblatt, S. and Mirelman, D.,

Cloning and characterization of an unusual elongation factor-1 cDNA from Entamoeba histolytica, 23

Deresiewicz, R., see Hamburger, J., 73

Detke, S., see Katakura, K., 233

Dorn, P.L., Aman, R.A. and Boothroyd, J.C.,

Inhibition of protein synthesis results in super-induction of procyclin, 133

Eeckhoutte, C., see Galtier, P., 255

Fang, X., Kaslow, D.C., Adams, J.H. and Miller, L.H., Cloning of the *Plasmodium vivax* Duffy receptor, 125 Fiebig, S., see Wunderlich, F., 271

Galtier, P., Vandenberghe, Y., Coecke, S., Eeckhoutte, C., Larrieu, G. and Vercruysse, A.,

Differential inhibition of rat hepatic glutathione Stransferase isoenzymes in the course of fascioliasis, 255

Gardner, M.J., Williamson, D.H. and Wilson, R.J.M., A circular DNA in malaria parasites encodes an RNA polymerase like that of prokaryotes and chloroplasts, 115

Gero, A.M., Wood, A.M., Hogue, D.L. and Upston, J.M., Effect of diamide on nucleoside and glucose transport in *Plasmodium falciparum* and *Babesia bovis* infected erythrocytes, 195

Ghosn, C.R., see James, A.A., 245

Gottstein, B. and Mowatt, M.R.,

Sequencing and characterization of an *Echinococcus multilocularis* DNA probe and its use in the polymerase chain reaction, 183

Guénette, S., Prichard, R.K., Klein and R.D. and Matlashewski, G.,

Characterization of a  $\beta$ -tubulin gene and  $\beta$ -tubulin gene products of *Brugia pahangi*, 153

Hamburger, J., Turetski, T., Kapeller, I. and Deresiewicz, R.,

Highly repeated short DNA sequences in the genome of *Schistosoma mansoni* recognized by a species-specific probe, 73

Hellman, U., Wernstedt, C. and Cazzulo, J.J.,

Self-proteolysis of the cysteine proteinase cruzipain from Trypanosoma cruzi gives a major fragment corresponding to its carboxy-terminal domain, 15

Hemmings, L. and McManus, D.P.,

The diagnostic value and molecular characterisation of an *Echinococcus multilocularis* antigen gene clone, 53

Hogue, D.L., see Gero, A.M., 195

Hollingdale, M.R., see van Pelt, J.F., 225

Holz, Jr., G.G., see Beach, D.H., 97

Howard, M.K., Kelly, J.M., Lane, R.P. and Miles, M.A., A sensitive repetitive DNA probe that is specific to the *Leishmania donovani* complex and its use as an epidemiological and diagnostic reagent, 63

Huber, M., see De Meester, F., 23

Hundt, E., see Knapp, B., 1

Ito, A., Bogh, H.O., Lightowlers, M.W., Mitchell, G.F., Takami, T., Kamiya, M., Onitake, M. and Rickard, M.D., Vaccination against *Taenia taeniaeformis* infection in rats using a recombinant protein and preliminary analysis of the induced antibody response, 43

James, A.A., Blackmer, K., Marinotti, O., Ghosn, C.R. and Racioppi, J.V., Isolation and characterization of the gene expressing the

major salivary gland protein of the female mosquito,

Aedes aegypti, 245

Kamiya, M., see Ito, A., 43

Kapeller, I., see Hamburger, J., 73

Kaslow, D.C., see Fang, X., 125

Katakura, K., Peng, Y., Pithawalla, R., Detke, S. and Chang, K.-P..

Tunicamycin-resistant variants from five species of *Leishmania* contain amplified DNA in extrachromosomal circles of different sizes with a transcriptionally active homologous region, 233

Kelly, J.M., see Howard, M.K., 63

Kemp, D.J., see Triglia, T., 201

Keren, Z., see De Meester, F., 23

Kiessling, R., see Laskay, T., 279

Kilejian, A., Rashid, M.A., Aikawa, M., Aji, T. and Yang, Y.-F.,

Selective association of a fragment of the knob protein with spectrin, actin and the red cell membrane, 175

Klein and R.D., see Guénette, S., 153 Kleinig, H., see Wunderlich, F., 271

Kleuskens, J., see Van Pelt, J.F., 225 Knapp, B., Nau, U., Hundt, E. and Küpper, H.A.,

A new blood stage antigen of *Plasmodium falciparum* highly homologous to the serine-stretch protein SERP, I Küpper, H.A., see Knapp, B., 1

Laclette, J.P., Landa, A., Arcos, L., Willms, K., Davis, A.E. and Shoemaker, C.B.,

Paramyosin is the Schistosoma mansoni (Trematoda) homologue of antigen B from Taenia solium (Cestoda), 287

Landa, A., see Laclette, J.P., 287

Larrieu, G., see Howard, M.K., 63 Larrieu, G., see Galtier, P., 255

Laskay, T., Kiessling, R., Rinke De Wit, T.F. and Wirth, D.F.,

Generation of species-specific DNA probes for Leishmania aethiopica, 279

Lightowlers, M.W., see Ito, A., 43

Lindmark, D.G., see Beach, D.H., 97

Lu, H.Y. and Buck, G.A.,

Expression of an exogenous gene in Trypanosoma cruzi epimastigotes, 109

Maina, C.V., see Awobuluyi, M., 151 Marinotti, O., see James, A.A., 245 Matlashewski, G., see Guénette, S., 153 Mattei, D., see Scherf, A., 297 McCutchan, T.F., see Waters, A.P., 143 McManus, D.P., see Hemmings, L., 53 McManus, D.P., see Shepherd, J.C., 81 McMaster, W.R., see Button, L.L., 213 Meuwissen, J.H.E.T., see Van Pelt, J.F., 225 Miles, M.A., see Howard, M.K., 63 Miller, L.H., see Fang, X., 125 Mirelman, D., see De Meester, F., 23 Mitchell, G.F., see Ito, A., 43 Mitchell, G.H., see Waters, A.P., 143 Mowatt, M.R., see Gottstein, B., 183 Müller, M., see Searle, S.M.J., 91

Nau, U., see Knapp, B., 1

Onitake, M., see Ito, A., 43

Pays, E., see Coquelet, H., 33 Peng, Y., see Katakura, K., 233 Pithawalla, R., see Katakura, K., 233 Plitt, J.R., see Chen, G.-X., 165 Ponnudurai, T., see Van Pelt, J.F., 225 Prichard, R.K., see Guénette, S., 153

Racioppi, J.V., see James, A.A., 245 Rashid, M.A., see Kilejian, A., 175 Reiner, N.E., see Button, L.L., 213 Rickard, M.D., see Ito, A., 43 Rinke De Wit, T.F., see Laskay, T., 279 Rozenblatt, S., see De Meester, F., 23

Sarthou, J.-L., see Scherf, A., 297 Scherf, A., Mattei, D. and Sarthou, J.-L.,

Multiple infections and unusual distribution of block 2 of the MSA1 gene of *Plasmodium falciparum* detected in West African clinical isolates by polymerase chain reaction analysis (*Short Communication*), 297

Searle, S.M.J. and Müller, M.,

Inorganic pyrophosphatase of *Trichomonas vaginalis*, 91 Shepherd, J.C., Aitken, A. and McManus, D.P.,

A protein secreted in vivo by Echinococcus granulosus inhibits elastase activity and neutrophil chemotaxis, 81

Shoemaker, C.B., see Laclette, J.P., 287

Singh, B.N., see Beach, D.H., 97 Steinert, M., see Coquelet, H., 33

Sullivan, F.X. and Walsh, C.T.,

Cloning, sequencing, overproduction and purification of trypanothione reductase from *Trypanosoma cruzi* (Short Communication), 147

Takami, T., see Ito, A., 43

Thomas, A.W., see Waters, A.P., 143 Triglia, T. and Kemp, D.J.,

Large fragments of *Plasmodium falciparum* DNA can be stable when cloned in yeast artificial chromosomes, 201 Turetski, T., see Hamburger, J., 73

Upston, J.M., see Gero, A.M., 195

Vandenberghe, Y., see Galtier, P., 255

Van Pelt, J.F., Kleuskens, J., Hollingdale, M.R., Verhave, J.P., Ponnudurai, T., Meuwissen, J.H.E.T. and Yap, S.H., Identification of plasma membrane proteins involved in the hepatocyte invasion of *Plasmodium falciparum* sporozoites, 225

Vercruysse, A., see Galtier, P., 255 Verhave, J.P., see van Pelt, J.F., 225 Vial, H., see Wunderlich, F., 271

Walsh, C.T., see Sullivan, F.X., 147 Wang, C.C., see Bass, K.E., 261

Waters, A.P., Thomas, A.W., Mitchell, G.H. and Mc-Cutchan, T.F.,

Intra-generic conservation and limited inter-strain variation in a protective minor surface antigen of *Plasmodium* knowlesi merozoites (Short Communication), 143

Weiler, A.K., see Chen, G.-X., 165

Wernstedt, C., see Hellman, U., 15
Williamson, D.H., see Gardner, M.J., 115
Willms, K., see Laclette, J.P., 287
Wilson, R.J.M., see Gardner, M.J., 115
Wirth, D.F., see Laskay, T., 279
Wood, A.M., see Gero, A.M., 195
Wunderlich, F., Fiebig, S., Vial, H. and Kleinig, H.,
Distinct lipid compositions of parasite and host cell plasma membranes from *Plasmodium chabaudi*-infected erythrocytes, 271

Yang, Y.-F., see Kilejian, A., 175 Yap, S.H., see Van Pelt, J.F., 225

Zhu, J., see Chen, G.-X., 165 Zolg, J.W., see Chen, G.-X., 165

## Subject Index

Actin, 175 Allelic polymorphism, 297 Anti-:/-tubulin antibody, 153 Antigen B, 81, 287 Antigen polymorphism, 81 Aqueous pore, 195

Babesia bovis, 195 Beta subunit, 115 Beta' subunit, 115 Bloodstream form, 261 Brugia malayi, 151 Brugia pahangi, 153

cDNA, 23
Cellular immunity, 213
Cestoda, 287
Chloramphenicol acetyltransferase, 109
Cholesterol ester, 97
Cholesterol, 271
Cholesterol, 97
Circular DNA, 115
Cruzipain, 15
Cysteine proteinase, 1
Cysteine proteinase, 15

Diagnosis, 63 Diamide, 195 Differentiation, 261 DNA hybridization, 279 DNA probe, 63, 73, 183, 279 DNA probing, 165 DNA sequence, 147, 183 DNA sequencing, 287 DNA transfection, 109 Drug resistance, 233 Duffy receptor, 125

Echinococcus multilocularis, 53, 183 Echinococcus, 81 Elongation factor-1, 23 Entamoeba histolytica, 23 Epidemiology, 63 Erythrocyte, 271 Evasion of host immune response, 81 Expression library, 151

Fasciola hepatica, 255 Fatty acid, 97

Gene amplification, 233 Gene cloning, 1, 287 Gene expression, 109, 287 Gene regulation, 133 Gene structure, 1 Glucose uptake, 195 Glutaraldehyde, 151 Glutathione S-transferase, 255 Glycolipid, 97

Hepatic metabolism, 255 Homology, 125 Human hepatocyte receptor, 225

Immunoblotting, 151 Immunodiagnosis, 53 Inorganic pyrophosphate, 91 Invasion, 225

Kinetoplast DNA, 279 Knob protein, 175

Leishmania, 213, 233 Leishmania aethiopica, 279 Leishmania donovani complex, 63 Lipid, 271 Liver, 255 Low-affinity, 151 Lysosome, 91

Magnetic separation, 165
Major surface glycoprotein, 213
Malaria vaccine, 297
Malaria, 125, 143, 271
Membrane, 271
Membrane permeability, 195
Merozoite invasion, 125
Mixed infections, 297

Nucleoside transport, 195 Nucleotide sequence, 53

Oncosphere antigen, 43 Ornithine decarboxylase, 261

PARP, 133
Phospholipid, 97
Plasmid expression vector, 53
Plasmodium chahaudi, 271
Plasmodium falciparum, 1, 115, 165, 175, 195, 201, 225, 297
Plasmodium fragile, 143
Plasmodium knowlesi, 125, 143
Plasmodium vivax, 125
Poly(A)-tailed capture probes, 165
Polymerase chain reaction, 183, 297
Procyclic form, 261
Procyclin, 133

Protease inhibitor, 81 Protein synthesis inhibition, 133 Pyrophosphatase, 91

Rat, 255 Recombinant antigen, 53 Recombinant enzyme, 147 Recombinant protein, 213 Red cell membrane, 175 Repeated DNA, 73 Ribosomal RNA processing, 33 Rifampicin, 115 RNA decay, 33 RNA polymerase, 115

Salivary gland, 245
Schistosoma mansoni, 73
Schistosoma mansoni paramyosin, 287
Self-proteolysis, 15
Serine-stretch protein, 1
Sex-specific gene, 245
Skeletal protein, 175
Species identification, 73
Spectrin, 175
Sphingolipid, 97
Sporozoite, 225
Strain variation, 143
Surface antigen, 151

Taenia solium, 287
Taenia taeniaeformis, 43
Transcription promoter, 109
Trematoda, 287
Triacylglycerol, 97
Trichomonas vaginalis, 91, 97
Tritrichomonas foetus, 97
Trypanosoma brucei, 133
Trypanosoma brucei, 261
Trypanosoma cruzi, 15, 109, 147
Trypanosome, 33
Trypanothione reductase, 147
β-Tubulin gene, 153
β-Tubulin isoforms, 153
Tunicamycin, 233

Ultraviolet irradiation, 33

Vaccine, 43, 143 Vector biology, 245

Yeast artificial chromosome, 201

